



Philippine Coast Guard  
**HEADQUARTERS MARINE ENVIRONMENTAL PROTECTION COMMAND**  
Muelle dela Industria, Farola Compound  
Binondo, Manila

---

**SUPPLEMENTAL/BID BULLETIN NO. 01**

**SUPPLY AND DELIVERY OF MULTI SKIMMER FOR OIL SPILL**

This Supplemental/ Bid Bulletin No. 01 is issued to all prospective bidders to clarify, modify and/or amend items in the Bidding Documents as discussed and agreed during the face-to-face Pre-Bid Conference held on 18 July 2023 at MEP AcCeS Office, G/F Mary Bachrach Bldg., Il 23<sup>rd</sup> Railroad, Brgy. 653, Zone 068, Port area, Manila for the above-mentioned project.

<b>A. Amendment of Technical Specifications</b>		
<b>SECTION</b>	<b>FROM</b>	<b>TO</b>
Section VII. Technical Specifications (pg. 29)	Not included in the previous bidding document	Hose: Suction and Discharge (at least 30m in length each hose) under Complete system component
Section VII. Technical Specifications (pg. 29)	Areas of use: Ports and terminals, inland water, offshore and coastal	Areas of use: Ports and terminals, inland water, and coastal areas
Section VII. Technical Specifications (pg. 29)	Light weight and easily portable	Removed from technical specifications

<b>B. Response to queries/clarification:</b>	
<b>Inquiry</b>	<b>Response</b>
Normally in offshore we use heavy equipment for that, I think it is not suitable for the light weight portable skimmer in off shore.	Please refer to the amended Technical Specifications.
What are the size and the weight of the skimmer?	No specific weight.
How long is the hose needed?	Please refer to the amended Technical Specifications.
If you amend and issue the supplemental documents, will you extend the opening of the Bid as well?	No. The Supplemental Bid Bulletin will be issued 7 days before the deadline of the submission and receipt of bids.
Is it possible to deliver the 3 sets of skimmers in respective locations for 90 days and we will train the personnel on site?	The priority is to deliver the equipment and the training can be conducted and gathered in one place.

Can we reduce the 50% Single Largest Completed Contract (SLCC)	Since there are interested bidders to the project and some said they can comply with the 50% SLCC, it cannot be reduced. The only way to reduce it is if failure of bidding or monopoly is likely to happen.
Is it possible to extend the equipment's delivery date? Given the fact that it will take more than a month to transport the equipment from abroad if the equipment is acquired in another country, go through customs, and take an additional day to be delivered to MEPForces.	Since there are bidders that can meet the 90 days delivery, we cannot extend the delivery period in the Bidding Document. Supplier may request for extension/suspension of works in accordance with the provisions of the 2016 revised IRR of RA 9184.
What is the draft of the Skimmer?	No specific draft.
Where will the training be held?	MEPForce, CG District Southern Tagalog, Batangas City
When will the training be conducted?	Soon after delivery but give prior notice because some personnel will come from Palawan and Iloilo.
If the skimmer is portable, it is not recommended for offshore.	Please refer to the amended Technical Specifications.
Contract similar to the project	Any type of skimmer for oil spill but excluding boom and other oil spill equipment.
Certificate of Accreditation of Skimmer	To be submitted during post qualification.
Requirements of Joint Venture	Please Refer to Checklist of Technical Documents

By authority of the MEPCOM Bids and Awards Committee, we hereby amend the Bidding Document to include the data/changes provided above.

This Supplemental Bid Bulletin shall form an integral part of the Bidding Documents.

For guidance and information of all concerned.

## ***Section VII. Technical Specifications (Revised)***

Bidders must state here either “Comply” or any equivalent term in the column “Bidder’s Statement of Compliance” against each of the individual parameters of each “Specification.”

<b>Specifications</b>	<b>Quantity</b>	<b>Bidder’s Statement of Compliance</b>
<p><b>Multi Skimmer for Oil Spills</b></p> <ul style="list-style-type: none"> <li>• Complete system component</li> <li>• Hose: Suction and Discharge anti-static hose with stainless steel camlock quick connectors/coupling (at least 30m in length each hose)</li> <li>• Areas of use: Ports and terminals, inland water, and coastal areas.</li> <li>• Lightweight</li> <li>• Debris tolerant and perform well in viscous pollutants</li> <li>• Recovers light oil to through heavy crude</li> <li>• Recovery rate of oil: at least 13m<sup>3</sup>/hr</li> <li>• Powered by power pack with accessories (hydraulic hoses of at least 30m in length, etc)</li> </ul> <p><b>Inclusion:</b></p> <ul style="list-style-type: none"> <li>• Training for one (1) day for atleast four (4) personnel of the PCG</li> </ul>	3	

**I hereby certify to comply with all the above Technical Specifications.**

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date